





KUZMENKOV

Back



Back





Front



Back



Material: Cold rolled steel
Steel sheets thickness:
1.0mm for door leaf
1.4mm for door frame
MDF thickness: 12mm
Filling material: Rock wool

KUZMENKOV




Top designer series



Smart lock series







AUTOMATIC SMART LOCK

	419*77.5*23
HANDLE MATERIAL	FINGERPRINT STORAGE CAPACITY
AVIATION ALUMINUM	100 PIECES
VERIFICATION COMPARISON TIME	POWER SUPPLY
< 1S	4200MAH LITHIUM BATTERY
NUMBER OF USERS	ADAPTIVE GATE TYPE
253 USERS	WOODEN DOOR/SECURITY DOOR /STEEL DOOR, ETC
FALSE REJECTION RATE	WORKING TEMPERATURE
<0.1%	-20℃~+70℃
NUMBER OF TIMES THE BATTERY IS TURNED ON	APPLICABLE DOOR THICKNESS
3000+	45-120MM
UNLOCK MOTHED	
FINGERPRINT/PASSWORD/KEY/CARD/APPLET /APP	



Top designer series



















808





Material: Cold rolled steel
Steel sheets thickness:
0.8mm for door leaf
1.2mm for door frame
MDF thickness: 8mm
Filling material: rock wool












Material: Cold rolled steel
Steel sheets thickness:
0.8mm for door leaf
1.2mm for door frame
MDF thickness: 8mm
Filling material: rock wool
















Lock



Handle



Lock Cylinder





Protection Cover

